



**C15 P385 "OPEN - V"**

BW	CW	CP	PA	CH
500	385	250	58	15
600	385	250	108	15
650	385	250	133	15
800	385	250	208	15




**C15 P600 "OPEN - V"**

BW	CW	CP	PA	CH
800	600	250	100	15




**C15 V330 "CLOSED - V"**

BW	CW	CP	PA	CH
400	330	250	35	15
500	330	250	85	15



**C15 V450 "CLOSED - V"**

BW	CW	CP	PA	CH
600	450	300	75	15
650	450	300	100	15




**L30 "OPEN - Y"**

BW	CW	CP	PA	CH
400	300	330	50	17
500	300	330	75	17




**Ihr kompetenter Ansprechpartner für**


FÖRDERGURTE, VULKANISIEREN, REPARATUREN, FÖRDERGURTVERBINDER, GURTSTEUERROLLEN, GURTREINIGUNG TRAGROLLEN, FÖRDERANLAGEN VERSCHLEISSCHUTZ, GUMMIZUSCHNITTE, SIEBE, BÄCKEREIANWENDUNGEN


**L44 "OPEN - Y"**


BW	CW	CP	PA	CH
500	440	330	30	17
600	440	330	80	17
650	440	330	105	17


**L63 "OPEN - Y"**


BW	CW	CP	PA	CH
650	630	330	10	17
800	630	330	85	17
1000	630	330	185	17


**L95 "OPEN - Y"**


BW	CW	CP	PA	CH
1000	950	330	25	17
1200	950	330	125	17


**L129 "DOUBLE - Y"**

BW	CW	CP	PA	CH
1400	1270	330	25	17



**C25 "CLOSED - U"**

BW	CW	CP	PA	CH
600	450	330	75	25




**C25 "OPEN - U"**

BW	CW	CP	PA	CH
650	550	330	50	25
800	550	330	125	25




**C25 "OPEN - U"**

BW	CW	CP	PA	CH
1000	750	330	125	25
1200	750	330	225	25




**C25 "OPEN - U"**

BW	CW	CP	PA	CH
1400	1.000	250	200	25
1600	1.000	250	300	25




**Y32 P450 "OPEN - Y"**

BW	CW	CP	PA	CH
600	450	300	75	32
650	450	300	100	32




**Y32 P600 "CLOSED - Y"**


BW	CW	CP	PA	CH
800	600	300	100	32
1000	600	300	200	32


**Y32 P800 "CLOSED - Y"**


BW	CW	CP	PA	CH
1000	800	333	100	32
1200	800	333	200	32


**H46 "OPEN - U"**


BW	CW	CP	PA	CH
500	460	330	20	32
600	460	330	70	32
650	460	330	95	32


**H58 "CLOSED - U"**

BW	CW	CP	PA	CH
600	580	330	10	32
650	580	330	35	32
800	580	330	110	32


**H63 "CLOSED - U"**

BW	CW	CP	PA	CH
650	630	330	10	32
800	630	330	85	32


**H75 "CLOSED - U"**

BW	CW	CP	PA	CH
1000	750	330	125	32
1200	750	330	225	32